

Anchorage points

Fall protection

pewag 





**STRONG
IS NOT
ENOUGH**
www.pewag.com

Information folder 2014



 BIF

 **PROLIFT**
HANDLING LTD

 BETA
 GFI  FII
 BETA

 BETA

PLGW-PSA Fall protection anchorage eye bolt

The pewag PLGW-PSA anchorage point is part of the anchorage system on which personal fall protection equipment can be fastened. It was designed and certified as per the high safety requirements for personal protective equipment according to the EG-Regulations 89/686/EWG; and meets already the new EN795:2012 (1 person) and CEN/TS 16415 (2 persons) norms respectively. For more information, please consult the operating instructions.

The PLGW-PSA is available in „basic“ and „supreme“: PLGW-PSA basic is intended for permanent assembly to the anchorage system (e.g. tripod) and is mounted using a commercial Allen key.



Code	Thread [mm]	Persons	a [mm]	b [mm]	c [mm]	d [mm]	e [mm]	f [mm]	n [mm]	n max. [mm]	⬡ [mm]	Weight [kg/pc.]
PLGW PSA M12	M12	1	30	55	12	32	63	55	20	160	8	0,31
PLGW PSA M16	M16	2	35	64	14	36	70	62	25	160	10	0,48
PLGW PSA M20	M20	2	40	69	16	41	78	66	30	160	12	0,63

Attention: Subject to technical modifications!

The PLGW-PSA supreme version has a patented system which allows for tool-free assembly and disassembly once the anchorage point is no longer in use and needs to be removed.

You can find more information on the functionality either by watching the video on our homepage (www.pewag.com) or by reading the operating instructions.



Mounting video
PLGW supreme

The special finish using the colour RAL 1003 for both versions is approved for use with stationary antenna systems („cell phone towers“). The pewag PLGW-PSA anchorage point is available in the sizes M12 (for 1 person) as well as M16 and M20 (for max. 2 persons). All sizes are obtainable with individual thread lengths.

Every anchorage point is marked with the thread length and the permitted number of persons. The individual serial number enables complete documentation on all compulsory inspections.




PLGW-PSA supreme
for tool-free assembly



PLGW-PSA basic




Loadable in all directions



 **issuu**
issuu.pewag.com

 Find us on
Facebook
facebook.pewag.com

 **YouTube**
youtube.pewag.com



pewag austria GmbH

A-8041 Graz, Gaslaternenweg 4, Phone: +43 316 6070-0, Fax: +43 316 6070-100, saleinfo@pewag.com, www.pewag.com



www.pewag.com