



Safety Is Our Highest Priority

To ensure safe transportation of good, whether it is by road, rail or sea, the load lashing is of outmost importance. The new GrabiQ Tensioner from Gunnebo Lifting is made of grade 10 material and is fully compatible with our GrabiQ programme. It is designed to make the lashing procedure faster and easier for the user at the same time as it ensures safe and reliable lashing.



The New GrabiQ Tensioner - GT

The new GrabiQ Tensioner is integral in one set. It is made of light weight grade 10 material and the ratchet handle contributes to a fast and ergonomic lashing procedure. The GT is provided with safety pins against unintended unwinding, yet allows for disassembly and convenient repair and replacements of parts, making maintenance easier and faster.

The new GrabiQ Tensioner is designed to be compatible with the GrabiQ product range, enabling the choice of robust end-hooks with latches. Can also be provided as approved for lifting purposes.



Unique Benefits with the GrabiQ Tensioner



Short Handle

- Fully protected ratched mechanism with 8 steps per 90 degree pull, enables use in very narrow spaces.
- Easy to change direction
- The rubber handle decreases the risk of slipping and is convenient in cold climates

Open design

- For easier and faster cleaning and lubrication
- Allows dirt to fall trough instead of building up
- No residue water inside the house thanks to two drain holes at the bottom.

Trapezoidal Thread

- Makes the thread less sensitive to dirt and particles
- Low-friction treated for trouble free operation
- Makes the lashing faster
- Safety pins stops unintended unwinding



The Gunnebo Lifting Chain Lashing System

Gunnebo Lifting offers a complete chain lashing system approved according to EN 12195-3. The system is developed with focus on the user's needs and working environment, and with safety as highest priority. The unique Midgrab chain shortener saves valuable time and effort, and is a natural part of an efficient and effective chain lashing system.

End Fitting

Lashing hooks in grade 10 such as the EGKN Sling Hook with a heavy duty latch or the GBK Griplatch Safety Hook. Marked with positive indication of the manufacturer, product designation, size, batch number and grade.

ID-tag


The ID-tag must state the lashing capacity, tension force, traceability and name of manufacturer. It must also clearly say that the set is for lashing only, lifting is prohibited.


Shortening Function

The Midgrab offers instant mounting on any part of the chain with the ability to shorten the chain in any direction. It is designed to prevent the chain from disengaging. Marked with positive indication of the manufacturer, product designation, size, batch number and grade.

Chain


Gunnebo Lifting's high tensile short link chain, grade 10 = 1000 N/mm² type KLA-10-10, LC = 8000 daN. Surface treatment: Powder coated. ID-marking of the chain: 10G





GrabiQ Tensioner GT


Model	Lashing capacity (t)	STF (daN)	L = Min. length (mm)	L = Max. length (mm)	Weight (kgs)
GT-10-10	8000	2400	400	600	3.3



Chain GrabiQ Grade 10


Short link, KL

Art. no.	Code	WLL tonnes	Lashing capacity (t)	D nom. mm	L » mm	E » mm	Weight kgs/m	MPF kN
Z801921	KLA 10-10	4	8000	10	30	14	2.3	100




Midgrab MIG

Art. no.	Code	WLL tonnes	Lashing capacity (t)	L	X	Y	Weight kgs
B14310	MIG-10-10	4	8000	125	70	77	1.1



Sling Hook EGKN

Art. no.	Code	WLL tonnes	Lashing capacity (t)	L	B	G	H	Weight kgs
B14462	EGKN-10-10	4	8000	121	35	23	31	1



Safety Hook GBK

Art. no.	Code	WLL tonnes*	Lashing capacity (t)	L	B	G	H	Weight kgs
Z100760	GBK-10-10	4	8000	150	47	22	29	1.4